


Protwist® screwdrivers sets



Description:

- Inline Hardening Process – +100% Tip Life and +100% Bar Strength.
- Handle Material - Softer for more Comfort and still Chemical Resistant.
- Blade " tri-coating " treatment (Zinc-Nickel-Chromium) 4x Corrosion Resistance.
- Handle 'Channel' - +10% Torque.
- Laser Marking - gives virtually Permanent Marking.
- CNC tip machining - gives better Screw Fit increasing Torque Transfer and Reducing Wear.

	Contents []	Weight [Kg]	Container []	CONTENT SET []
AT.J10		1.19		AN3,5X75 - AN4X100 - AN5,5X150 - ANF6,5X150 - AW8X150 - AW10X200 - ANP1X100 - ANP2X125 - AND1X100 - AND2X125
ATD.J5	Panel: PK.1	0.75	Panel: PK.1	AND0X75 - AND1X100 - AND2X125 - AND3X150 - AND4X200
ATD.J6		0.6		AN3,5X75 - AN4X100 - AN5,5X150 - AN6,5X150 - AND1X100 - AND2X125
ATP.J5	Box	0.75	Box	ANP0X75 - ANP1X100 - ANP2X125 - ANP3X150 - ANP4X200
ATP.J6		0.59		AN3,5X75 - AN4X100 - AN5,5X150 - AN6,5X150 - ANP1X100 - ANP2X125
ATWCK.J5PB		0.72		AW4X100 - AW5,5X150 - AW6,5X150 - AW8X200 - AWD1X100 - AWD2X125
ATWH.J13		1.4		AN3,5X75 - AN4X100 - AN5,5X100 - AW6,5X150 - AWH8X150 -

				AWH10X200 - AN4X25 - AN6,5X35 - ANP1X100 - ANP2X125 - ANP2X35 - AND1X100 - AND2X125
ATX.J6	Roll: N.38A-8B	0.68	Roll: N.38A-8B	ANX10X75 - ANX15X75 - ANX20X100 - ANX25X100 - ANX30X125 - ANX40X150
ATXP.J6	PL.315	0.68	PL.315	ANXP10X75 - ANXP15X75 - ANXP20X100 - ANXP25X100 - ANXP30X125 - ANXP40X150
ATXR.J5	PL.316	0.51	PL.316	ANXR10X75 - ANXR15X75 - ANXR20X100 - ANXR25X100 - ANXR30X125
ATXRP.J5		0.45		ANXRP10X75 - ANXRP15X75 - ANXRP20X100 - ANXRP25X100 - ANXRP30X125